




Kaasujouset Työkalu- ja kuljetuslaatikoille



Oinonen Tooling

TEL: +358 3 6161 847 FAX: +358 3 6166 272


info@oinonen.com // www.oinonen.com

Karlbergintie 22, FI-13220 Hämeenlinna


FINLAND

Osan nr	Tilaus koodi	Pituus	Voima	Valmistaja
0863UC	TTLBXOE001	325	30	Contico/Tradesmen
3332PC	TTLBXOE002	254	40	Contico/Tradesmen
5511RI	TTLBXOE003	254	40	Contico/Tradesmen
6083RK	TTLBXOE004	333	58	Contico/Tradesmen
7495QQ	TTLBXOE005	254	63	Contico/Tradesmen
7835PB	TTLBXOE006	254	40	Contico/Tradesmen
7981IM	TTLBXOE007	254	40	Contico/Tradesmen
4325QI	TTLBXOE008	254	69	Continental
7292SK	TTLBXOE009	254	40	Continental
8321QX	TTLBXOE010	254	69	Continental
4409TI	TTLBXOE011	254	40	Dee Zee
4411TP	TTLBXOE012	254	69	Dee Zee
0305UJ	TTLBXOE013	254	80	Delta
1518UU	TTLBXOE014	279	35	Delta
3901TV	TTLBXOE015	279	25	Delta
3904TG	TTLBXOE016	274	71	Delta
7921SI	TTLBXOE017	333	58	Delta
8096SX	TTLBXOE018	325	130	Delta
8097SS	TTLBXOE019	333	58	Delta
8767SO	TTLBXOE020	333	121	Delta
8979SL	TTLBXOE021	254	40	Delta
9008SF	TTLBXOE022	254	40	Delta
9009SA	TTLBXOE023	254	40	Delta
9022SX	TTLBXOE024	254	40	Delta
9023SS	TTLBXOE025	254	40	Delta
1205IC	TTLBXOE026	434	22	Knaack
1575EJ	TTLBXOE027	305	27	Knaack
1591ER	TTLBXOE028	437	27	Knaack
2146BA	TTLBXOE029	437	27	Knaack
3148MT	TTLBXOE030	315	85	Knaack
3268PP	TTLBXOE031	325	73	Knaack
3355HH	TTLBXOE032	437	27	Knaack
3471HI	TTLBXOE033	437	43	Knaack
4197LR	TTLBXOE034	434	22	Knaack
5079KW	TTLBXOE035	437	43	Knaack
647128	TTLBXOE036	305	54	Knaack
647152	TTLBXOE037	325	73	Knaack
647160	TTLBXOE038	432	146	Knaack
647179	TTLBXOE039	432	146	Knaack
7381IA	TTLBXOE040	305	27	Knaack
7387IY	TTLBXOE041	305	27	Knaack
7389IO	TTLBXOE042	305	54	Knaack
7391IV	TTLBXOE043	305	54	Knaack
7467IC	TTLBXOE044	318	35	Knaack
7468IY	TTLBXOE045	318	49	Knaack
7469IT	TTLBXOE046	315	67	Knaack
7472IV	TTLBXOE047	315	67	Knaack
7473IQ	TTLBXOE048	323	101	Knaack
748307	TTLBXOE049	315	85	Knaack

Osan nr	Tilaus koodi	Pituus	Voima	Valmistaja
7577IQ	TTLBXOE050	434	22	Knaack
7856IM	TTLBXOE051	437	27	Knaack
8232IY	TTLBXOE052	432	146	Knaack
8233IT	TTLBXOE053	432	146	Knaack
864137	TTLBXOE054	318	35	Knaack
1585ED	TTLBXOE055	368	43	Snap-On
1586EZ	TTLBXOE056	368	43	Snap-On
1592EM	TTLBXOE057	437	43	Snap-On
6501IP	TTLBXOE058	226	22	Snap-On
7088KF	TTLBXOE059	356	26	Snap-On
752819	TTLBXOE060	404	34	Snap-On
754722	TTLBXOE061	356	26	Snap-On
8264IX	TTLBXOE062	356	26	Snap-On
8267II	TTLBXOE063	356	26	Snap-On
8268ID	TTLBXOE064	356	65	Snap-On
0696UK	TTLBXOE065	305	27	Stellar
0697UF	TTLBXOE066	305	27	Stellar
3656NL	TTLBXOE067	305	27	Stellar
4191WD	TTLBXOE068	305	27	Stellar
5375RU	TTLBXOE069	437	27	Stellar
6625UJ	TTLBXOE070	437	43	Stellar
5239RE	TTLBXOE071	378	79	UWS
8322QS	TTLBXOE072	254	40	UWS
8363IV	TTLBXOE073	378	79	UWS



Tuotekoodi	d1 mm	d2 mm	LE mm	LS mm	Voima N
TOOLBX032	6	15	155	45	100
TOOLBX012	8	18	250	80	60
TOOLBX013	8	18	250	80	100
TOOLBX014	8	18	250	80	180
TOOLBX015	8	18	250	80	225
TOOLBX016	8	18	250	80	340
TOOLBX017	8	18	250	80	445
TOOLBX023	8	18	370	125	100
TOOLBX024	8	18	370	125	180
TOOLBX025	8	18	370	125	225
TOOLBX026	8	18	370	125	340
TOOLBX027	8	18	370	125	445
TOOLBX018	8	18	355	130	100
TOOLBX019	8	18	355	130	180
TOOLBX020	8	18	355	130	225
TOOLBX021	8	18	355	130	340
TOOLBX022	8	18	355	130	445
TOOLBX028	8	18	385	140	100
TOOLBX029	8	18	385	140	180
TOOLBX030	8	18	385	140	225
TOOLBX031	8	18	385	140	340
TOOLBX032	8	18	385	140	445
TOOLBX001	8	18	435	160	125
TOOLBX002	8	18	435	160	155
TOOLBX003	8	18	435	160	180
TOOLBX004	8	18	435	160	200
TOOLBX005	8	18	435	160	245
TOOLBX006	8	18	435	160	270
TOOLBX007	8	18	435	160	290
TOOLBX008	8	18	435	160	355
TOOLBX009	8	18	435	160	430
TOOLBX010	8	18	435	160	470
TOOLBX011	8	18	435	160	600
TOOLBX032	8	18	500	205	540



Gas Props For Down Size and Mini Truck Cap Doors


tuotekoodi	d1 mm	d2 mm	LE mm	LS mm	Voima N
PickUp001	8	18	355	139	108
PickUp002	8	18	355	139	158
PickUp003	8	18	355	139	180
PickUp004	8	18	355	139	270

Gas Props For Full Size Cap Doors

Tuotekoodi	d1 mm	d2 mm	LE mm	LS mm	Voima N
PickUp201	8	18	435	160	90
PickUp202	8	18	435	160	124
PickUp203	8	18	435	160	156
PickUp204	8	18	435	160	178
PickUp205	8	18	435	160	200
PickUp206	8	18	435	160	245
PickUp207	8	18	435	160	267
PickUp208	8	18	435	160	356
PickUp209	8	18	435	160	432


Radius Access Door Props

Tuotekoodi	d1 mm	d2 mm	LE mm	LS mm	Voima N
PickUp601	8	18	250	80	98
PickUp602	8	18	310	100	59
PickUp603	8	18	310	100	110




Fiberglass Lid Gas Props


tuotekoodi	d1 mm	d2 mm	LE mm	LS mm	Voima N
PickUp401	8	18	500	200	89
PickUp402	8	18	500	200	133
PickUp403	8	18	500	200	178
PickUp404	8	18	500	200	267
PickUp405	8	18	500	200	356
PickUp406	8	18	500	200	445
PickUp407	8	18	500	200	495
PickUp408	8	18	500	200	534
PickUp409	8	18	500	200	600
PickUp410	8	18	500	200	675




Tuotekoodi	d1 mm	d2 mm	LE mm	LS mm	Voima N
STDPIKUP001	8	18	249	79	59
STDPIKUP002	8	18	249	79	99
STDPIKUP003	8	18	250	80	58
STDPIKUP004	8	18	250	80	98
STDPIKUP005	8	18	250	80	178
STDPIKUP006	8	18	250	80	222
STDPIKUP007	8	18	250	80	334
STDPIKUP008	8	18	250	80	445
STDPIKUP009	8	18	250	80	180
STDPIKUP010	8	18	250	80	248
STDPIKUP011	8	18	310	100	60
STDPIKUP012	8	18	310	100	110
STDPIKUP013	8	18	310	100	155
STDPIKUP014	8	18	310	100	225
STDPIKUP015	8	18	310	100	290
STDPIKUP016	8	18	310	100	355
STDPIKUP017	8	18	310	100	445
STDPIKUP018	8	18	310	100	108
STDPIKUP019	8	18	310	100	180
STDPIKUP020	8	18	310	100	158
STDPIKUP021	8	18	310	100	135
STDPIKUP022	8	18	310	100	59
STDPIKUP023	8	18	294	100	108
STDPIKUP024	8	18	369	125	180
STDPIKUP025	8	18	331	125	158
STDPIKUP026	8	18	355	139	270
STDPIKUP027	8	18	355	139	158
STDPIKUP028	8	18	355	139	180
STDPIKUP029	8	18	355	139	108
STDPIKUP030	8	18	383	139	225
STDPIKUP031	8	18	435	160	124
STDPIKUP032	8	18	435	160	156
STDPIKUP033	8	18	435	160	178
STDPIKUP034	8	18	435	160	200
STDPIKUP035	8	18	435	160	245




Tuotekoodi	d1 mm	d2 mm	LE mm	LS mm	Voima N
STDPICKUP036	8	18	435	160	267
STDPICKUP037	8	18	435	160	289
STDPICKUP038	8	18	435	160	356
STDPICKUP039	8	18	435	160	432
STDPICKUP040	8	18	435	160	470
STDPICKUP041	8	18	435	160	600
STDPICKUP042	8	18	435	160	270
STDPICKUP043	8	18	435	160	158
STDPICKUP044	8	18	435	160	180
STDPICKUP045	8	18	435	160	248
STDPICKUP046	8	18	435	160	356
STDPICKUP047	8	18	435	160	126
STDPICKUP048	8	18	435	160	90
STDPICKUP049	8	18	435	160	203
STDPICKUP050	8	18	399	160	126
STDPICKUP051	8	18	435	160	540
STDPICKUP052	8	18	406	164	90
STDPICKUP053	8	18	406	164	270
STDPICKUP054	8	18	444	185	135
STDPICKUP055	8	18	444	185	203
STDPICKUP056	8	18	500	200	450
STDPICKUP057	8	18	500	200	360
STDPICKUP058	8	18	500	200	675
STDPICKUP059	8	18	500	200	495
STDPICKUP060	8	18	500	200	270
STDPICKUP061	8	18	500	200	180
STDPICKUP062	8	18	500	200	540
STDPICKUP063	8	18	500	200	135
STDPICKUP064	8	18	500	200	405
STDPICKUP065	8	18	500	200	89
STDPICKUP066	8	18	500	200	133
STDPICKUP067	8	18	500	200	178
STDPICKUP068	8	18	500	200	267
STDPICKUP069	8	18	500	200	356
STDPICKUP070	8	18	500	200	445



Tuotekoodi	d1 mm	d2 mm	LE mm	LS mm	Voima N
STDPICKUP071	8	18	500	200	534
STDPICKUP072	8	18	500	200	600
STDPICKUP073	8	18	529	225	270
STDPICKUP074	10	22	475	200	810
STDPICKUP075	10	22	533	200	720
STDPICKUP076	10	22	669	260	385
STDPICKUP077	10	22	669	260	445
STDPICKUP078	10	22	669	260	535
STDPICKUP079	10	22	669	260	670
STDPICKUP080	10	22	669	260	675
STDPICKUP081	10	22	669	260	540
STDPICKUP082	10	22	669	260	450
STDPICKUP083	10	22	669	260	392
STDPICKUP084	10	22	669	260	333
STDPICKUP085	10	22	713	300	900
STDPICKUP086	10	22	669	311	180
STDPICKUP087	10	22	900	410	360
STDPICKUP088	10	22	900	410	270
STDPICKUP089	10	22	900	410	180
STDPICKUP090	10	22	900	410	270
STDPICKUP091	10	22	900	410	360
STDPICKUP092	10	22	900	410	450



Tuotekoodi	d1 mm	d2 mm	LE mm	LS mm	End Fit.	Voima N
STDPIKUP091	10	22	522	200	13x30	290
STDPIKUP092	10	22	522	200	13x30	385
STDPIKUP093	10	22	522	200	13x30	435
STDPIKUP094	10	22	522	200	13x30	510
STDPIKUP095	10	22	522	200	13x30	595
STDPIKUP096	10	22	522	200	13x30	712
STDPIKUP097	10	22	522	200	13x30	830
STDPIKUP098	10	22	522	200	13x30	1000



Tuotekoodi	d1 mm	d2 mm	LE mm	LS mm	End Fit.	Voima N
STDPIKUP099	10	22	494	200	8,1x16	222
STDPIKUP100	10	22	494	200	8,1x16	290
STDPIKUP101	10	22	494	200	8,1x16	385
STDPIKUP102	10	22	494	200	8,1x16	435
STDPIKUP103	10	22	494	200	8,1x16	510
STDPIKUP104	10	22	494	200	8,1x16	595
STDPIKUP105	10	22	494	200	8,1x16	712
STDPIKUP106	10	22	494	200	8,1x16	830
STDPIKUP107	10	22	494	200	8,1x16	1000